



CERTIFICATION

I, the below named translator, hereby declare that: my name and post office address are as stated below; that I am knowledgeable in the English and German languages, and that I believe that the attached text is a true and complete translation of application number 09/873,227, filed June 4, 2001.

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

Hollywood, Florida

Christine Kahl

Christine Kahl

July 16, 2001

Lerner & Greenberg, P.A.

P.O. 2480

Hollywood, FL 33022-2480

Tel.: (954) 925-1100

Fax.: (954) 925-1101

09/873,227

A ~~Description~~

5 Power semiconductor switch

10 ~~The present invention relates to an IGBT (Insulated Gate~~  
15 ~~Bipolar Transistor) which is suitable for forming~~  
20 ~~bidirectional switches.~~

25 10  
15 20  
25 30  
35 40  
45 50  
55 60  
65 70  
75 80  
85 90  
95 100  
105 110  
115 120  
125 130  
135 140  
145 150  
155 160  
165 170  
175 180  
185 190  
195 200  
205 210  
215 220  
225 230  
235 240  
245 250  
255 260  
265 270  
275 280  
285 290  
295 300  
305 310  
315 320  
325 330  
335 340  
345 350  
355 360  
365 370  
375 380  
385 390  
395 400  
405 410  
415 420  
425 430  
435 440  
445 450  
455 460  
465 470  
475 480  
485 490  
495 500  
505 510  
515 520  
525 530  
535 540  
545 550  
555 560  
565 570  
575 580  
585 590  
595 600  
605 610  
615 620  
625 630  
635 640  
645 650  
655 660  
665 670  
675 680  
685 690  
695 700  
705 710  
715 720  
725 730  
735 740  
745 750  
755 760  
765 770  
775 780  
785 790  
795 800  
805 810  
815 820  
825 830  
835 840  
845 850  
855 860  
865 870  
875 880  
885 890  
895 900  
905 910  
915 920  
925 930  
935 940  
945 950  
955 960  
965 970  
975 980  
985 990  
995 1000  
1005 1010  
1015 1020  
1025 1030  
1035 1040  
1045 1050  
1055 1060  
1065 1070  
1075 1080  
1085 1090  
1095 1100  
1105 1110  
1115 1120  
1125 1130  
1135 1140  
1145 1150  
1155 1160  
1165 1170  
1175 1180  
1185 1190  
1195 1200  
1205 1210  
1215 1220  
1225 1230  
1235 1240  
1245 1250  
1255 1260  
1265 1270  
1275 1280  
1285 1290  
1295 1300  
1305 1310  
1315 1320  
1325 1330  
1335 1340  
1345 1350  
1355 1360  
1365 1370  
1375 1380  
1385 1390  
1395 1400  
1405 1410  
1415 1420  
1425 1430  
1435 1440  
1445 1450  
1455 1460  
1465 1470  
1475 1480  
1485 1490  
1495 1500  
1505 1510  
1515 1520  
1525 1530  
1535 1540  
1545 1550  
1555 1560  
1565 1570  
1575 1580  
1585 1590  
1595 1600  
1605 1610  
1615 1620  
1625 1630  
1635 1640  
1645 1650  
1655 1660  
1665 1670  
1675 1680  
1685 1690  
1695 1700  
1705 1710  
1715 1720  
1725 1730  
1735 1740  
1745 1750  
1755 1760  
1765 1770  
1775 1780  
1785 1790  
1795 1800  
1805 1810  
1815 1820  
1825 1830  
1835 1840  
1845 1850  
1855 1860  
1865 1870  
1875 1880  
1885 1890  
1895 1900  
1905 1910  
1915 1920  
1925 1930  
1935 1940  
1945 1950  
1955 1960  
1965 1970  
1975 1980  
1985 1990  
1995 2000  
2005 2010  
2015 2020  
2025 2030  
2035 2040  
2045 2050  
2055 2060  
2065 2070  
2075 2080  
2085 2090  
2095 2100  
2105 2110  
2115 2120  
2125 2130  
2135 2140  
2145 2150  
2155 2160  
2165 2170  
2175 2180  
2185 2190  
2195 2200  
2205 2210  
2215 2220  
2225 2230  
2235 2240  
2245 2250  
2255 2260  
2265 2270  
2275 2280  
2285 2290  
2295 2300  
2305 2310  
2315 2320  
2325 2330  
2335 2340  
2345 2350  
2355 2360  
2365 2370  
2375 2380  
2385 2390  
2395 2400  
2405 2410  
2415 2420  
2425 2430  
2435 2440  
2445 2450  
2455 2460  
2465 2470  
2475 2480  
2485 2490  
2495 2500  
2505 2510  
2515 2520  
2525 2530  
2535 2540  
2545 2550  
2555 2560  
2565 2570  
2575 2580  
2585 2590  
2595 2600  
2605 2610  
2615 2620  
2625 2630  
2635 2640  
2645 2650  
2655 2660  
2665 2670  
2675 2680  
2685 2690  
2695 2700  
2705 2710  
2715 2720  
2725 2730  
2735 2740  
2745 2750  
2755 2760  
2765 2770  
2775 2780  
2785 2790  
2795 2800  
2805 2810  
2815 2820  
2825 2830  
2835 2840  
2845 2850  
2855 2860  
2865 2870  
2875 2880  
2885 2890  
2895 2900  
2905 2910  
2915 2920  
2925 2930  
2935 2940  
2945 2950  
2955 2960  
2965 2970  
2975 2980  
2985 2990  
2995 3000  
3005 3010  
3015 3020  
3025 3030  
3035 3040  
3045 3050  
3055 3060  
3065 3070  
3075 3080  
3085 3090  
3095 3100  
3105 3110  
3115 3120  
3125 3130  
3135 3140  
3145 3150  
3155 3160  
3165 3170  
3175 3180  
3185 3190  
3195 3200  
3205 3210  
3215 3220  
3225 3230  
3235 3240  
3245 3250  
3255 3260  
3265 3270  
3275 3280  
3285 3290  
3295 3300  
3305 3310  
3315 3320  
3325 3330  
3335 3340  
3345 3350  
3355 3360  
3365 3370  
3375 3380  
3385 3390  
3395 3400  
3405 3410  
3415 3420  
3425 3430  
3435 3440  
3445 3450  
3455 3460  
3465 3470  
3475 3480  
3485 3490  
3495 3500  
3505 3510  
3515 3520  
3525 3530  
3535 3540  
3545 3550  
3555 3560  
3565 3570  
3575 3580  
3585 3590  
3595 3600  
3605 3610  
3615 3620  
3625 3630  
3635 3640  
3645 3650  
3655 3660  
3665 3670  
3675 3680  
3685 3690  
3695 3700  
3705 3710  
3715 3720  
3725 3730  
3735 3740  
3745 3750  
3755 3760  
3765 3770  
3775 3780  
3785 3790  
3795 3800  
3805 3810  
3815 3820  
3825 3830  
3835 3840  
3845 3850  
3855 3860  
3865 3870  
3875 3880  
3885 3890  
3895 3900  
3905 3910  
3915 3920  
3925 3930  
3935 3940  
3945 3950  
3955 3960  
3965 3970  
3975 3980  
3985 3990  
3995 4000  
4005 4010  
4015 4020  
4025 4030  
4035 4040  
4045 4050  
4055 4060  
4065 4070  
4075 4080  
4085 4090  
4095 4100  
4105 4110  
4115 4120  
4125 4130  
4135 4140  
4145 4150  
4155 4160  
4165 4170  
4175 4180  
4185 4190  
4195 4200  
4205 4210  
4215 4220  
4225 4230  
4235 4240  
4245 4250  
4255 4260  
4265 4270  
4275 4280  
4285 4290  
4295 4300  
4305 4310  
4315 4320  
4325 4330  
4335 4340  
4345 4350  
4355 4360  
4365 4370  
4375 4380  
4385 4390  
4395 4400  
4405 4410  
4415 4420  
4425 4430  
4435 4440  
4445 4450  
4455 4460  
4465 4470  
4475 4480  
4485 4490  
4495 4500  
4505 4510  
4515 4520  
4525 4530  
4535 4540  
4545 4550  
4555 4560  
4565 4570  
4575 4580  
4585 4590  
4595 4600  
4605 4610  
4615 4620  
4625 4630  
4635 4640  
4645 4650  
4655 4660  
4665 4670  
4675 4680  
4685 4690  
4695 4700  
4705 4710  
4715 4720  
4725 4730  
4735 4740  
4745 4750  
4755 4760  
4765 4770  
4775 4780  
4785 4790  
4795 4800  
4805 4810  
4815 4820  
4825 4830  
4835 4840  
4845 4850  
4855 4860  
4865 4870  
4875 4880  
4885 4890  
4895 4900  
4905 4910  
4915 4920  
4925 4930  
4935 4940  
4945 4950  
4955 4960  
4965 4970  
4975 4980  
4985 4990  
4995 5000  
5005 5010  
5015 5020  
5025 5030  
5035 5040  
5045 5050  
5055 5060  
5065 5070  
5075 5080  
5085 5090  
5095 5100  
5105 5110  
5115 5120  
5125 5130  
5135 5140  
5145 5150  
5155 5160  
5165 5170  
5175 5180  
5185 5190  
5195 5200  
5205 5210  
5215 5220  
5225 5230  
5235 5240  
5245 5250  
5255 5260  
5265 5270  
5275 5280  
5285 5290  
5295 5300  
5305 5310  
5315 5320  
5325 5330  
5335 5340  
5345 5350  
5355 5360  
5365 5370  
5375 5380  
5385 5390  
5395 5400  
5405 5410  
5415 5420  
5425 5430  
5435 5440  
5445 5450  
5455 5460  
5465 5470  
5475 5480  
5485 5490  
5495 5500  
5505 5510  
5515 5520  
5525 5530  
5535 5540  
5545 5550  
5555 5560  
5565 5570  
5575 5580  
5585 5590  
5595 5600  
5605 5610  
5615 5620  
5625 5630  
5635 5640  
5645 5650  
5655 5660  
5665 5670  
5675 5680  
5685 5690  
5695 5700  
5705 5710  
5715 5720  
5725 5730  
5735 5740  
5745 5750  
5755 5760  
5765 5770  
5775 5780  
5785 5790  
5795 5800  
5805 5810  
5815 5820  
5825 5830  
5835 5840  
5845 5850  
5855 5860  
5865 5870  
5875 5880  
5885 5890  
5895 5900  
5905 5910  
5915 5920  
5925 5930  
5935 5940  
5945 5950  
5955 5960  
5965 5970  
5975 5980  
5985 5990  
5995 6000  
6005 6010  
6015 6020  
6025 6030  
6035 6040  
6045 6050  
6055 6060  
6065 6070  
6075 6080  
6085 6090  
6095 6100  
6105 6110  
6115 6120  
6125 6130  
6135 6140  
6145 6150  
6155 6160  
6165 6170  
6175 6180  
6185 6190  
6195 6200  
6205 6210  
6215 6220  
6225 6230  
6235 6240  
6245 6250  
6255 6260  
6265 6270  
6275 6280  
6285 6290  
6295 6300  
6305 6310  
6315 6320  
6325 6330  
6335 6340  
6345 6350  
6355 6360  
6365 6370  
6375 6380  
6385 6390  
6395 6400  
6405 6410  
6415 6420  
6425 6430  
6435 6440  
6445 6450  
6455 6460  
6465 6470  
6475 6480  
6485 6490  
6495 6500  
6505 6510  
6515 6520  
6525 6530  
6535 6540  
6545 6550  
6555 6560  
6565 6570  
6575 6580  
6585 6590  
6595 6600  
6605 6610  
6615 6620  
6625 6630  
6635 6640  
6645 6650  
6655 6660  
6665 6670  
6675 6680  
6685 6690  
6695 6700  
6705 6710  
6715 6720  
6725 6730  
6735 6740  
6745 6750  
6755 6760  
6765 6770  
6775 6780  
6785 6790  
6795 6800  
6805 6810  
6815 6820  
6825 6830  
6835 6840  
6845 6850  
6855 6860  
6865 6870  
6875 6880  
6885 6890  
6895 6900  
6905 6910  
6915 6920  
6925 6930  
6935 6940  
6945 6950  
6955 6960  
6965 6970  
6975 6980  
6985 6990  
6995 7000  
7005 7010  
7015 7020  
7025 7030  
7035 7040  
7045 7050  
7055 7060  
7065 7070  
7075 7080  
7085 7090  
7095 7100  
7105 7110  
7115 7120  
7125 7130  
7135 7140  
7145 7150  
7155 7160  
7165 7170  
7175 7180  
7185 7190  
7195 7200  
7205 7210  
7215 7220  
7225 7230  
7235 7240  
7245 7250  
7255 7260  
7265 7270  
7275 7280  
7285 7290  
7295 7300  
7305 7310  
7315 7320  
7325 7330  
7335 7340  
7345 7350  
7355 7360  
7365 7370  
7375 7380  
7385 7390  
7395 7400  
7405 7410  
7415 7420  
7425 7430  
7435 7440  
7445 7450  
7455 7460  
7465 7470  
7475 7480  
7485 7490  
7495 7500  
7505 7510  
7515 7520  
7525 7530  
7535 7540  
7545 7550  
7555 7560  
7565 7570  
7575 7580  
7585 7590  
7595 7600  
7605 7610  
7615 7620  
7625 7630  
7635 7640  
7645 7650  
7655 7660  
7665 7670  
7675 7680  
7685 7690  
7695 7700  
7705 7710  
7715 7720  
7725 7730  
7735 7740  
7745 7750  
7755 7760  
7765 7770  
7775 7780  
7785 7790  
7795 7800  
7805 7810  
7815 7820  
7825 7830  
7835 7840  
7845 7850  
7855 7860  
7865 7870  
7875 7880  
7885 7890  
7895 7900  
7905 7910  
7915 7920  
7925 7930  
7935 7940  
7945 7950  
7955 7960  
7965 7970  
7975 7980  
7985 7990  
7995 8000  
8005 8010  
8015 8020  
8025 8030  
8035 8040  
8045 8050  
8055 8060  
8065 8070  
8075 8080  
8085 8090  
8095 8100  
8105 8110  
8115 8120  
8125 8130  
8135 8140  
8145 8150  
8155 8160  
8165 8170  
8175 8180  
8185 8190  
8195 8200  
8205 8210  
8215 8220  
8225 8230  
8235 8240  
8245 8250  
8255 8260  
8265 8270  
8275 8280  
8285 8290  
8295 8300  
8305 8310  
8315 8320  
8325 8330  
8335 8340  
8345 8350  
8355 8360  
8365 8370  
8375 8380  
8385 8390  
8395 8400  
8405 8410  
8415 8420  
8425 8430  
8435 8440  
8445 8450  
8455 8460  
8465 8470  
8475 8480  
8485 8490  
8495 8500  
8505 8510  
8515 8520  
8525 8530  
8535 8540  
8545 8550  
8555 8560  
8565 8570  
8575 8580  
8585 8590  
8595 8600  
8605 8610  
8615 8620  
8625 8630  
8635 8640  
8645 8650  
8655 8660  
8665 8670  
8675 8680  
8685 8690  
8695 8700  
8705 8710  
8715 8720  
8725 8730  
8735 8740  
8745 8750  
8755 8760  
8765 8770  
8775 8780  
8785 8790  
8795 8800  
8805 8810  
8815 8820  
8825 8830  
8835 8840  
8845 8850  
8855 8860  
8865 8870  
8875 8880  
8885 8890  
8895 8900  
8905 8910  
8915 8920  
8925 8930  
8935 8940  
8945 8950  
8955 8960  
8965 8970  
8975 8980  
8985 8990  
8995 9000  
9005 9010  
9015 9020  
9025 9030  
9035 9040  
9045 9050  
9055 9060  
9065 9070  
9075 9080  
9085 9090  
9095 9100  
9105 9110  
9115 9120  
9125 9130  
9135 9140  
9145 9150  
9155 9160  
9165 9170  
9175 9180  
9185 9190  
9195 9200  
9205 9210  
9215 9220  
9225 9230  
9235 9240  
9245 9250  
9255 9260  
9265 9270  
9275 9280  
9285 9290  
9295 9300  
9305 9310  
9315 9320  
9325 9330  
9335 9340  
9345 9350  
9355 9360  
9365 9370  
9375 9380  
9385 9390  
9395 9400  
9405 9410  
9415 9420  
9425 9430  
9435 9440  
9445 9450  
9455 9460  
9465 9470  
9475 9480  
9485 9490  
9495 9500  
9505 9510  
9515 9520  
9525 9530  
9535 9540  
9545 9550  
9555 9560  
9565 9570  
9575 9580  
9585 9590  
9595 9600  
9605 9610  
9615 9620  
9625 9630  
9635 9640  
9645 9650  
9655 9660  
9665 9670  
9675 9680  
9685 9690  
9695 9700  
9705 9710  
9715 9720  
9725 9730  
9735 9740  
9745 9750  
9755 9760  
9765 9770  
9775 9780  
9785 9790  
9795 9800  
9805 9810  
9815 9820  
9825 9830  
9835 9840  
9845 9850  
9855 9860  
9865 9870  
9875 9880  
9885 9890  
9895 9900  
9905 9910  
9915 9920  
9925 9930  
9935 9940  
9945 9950  
9955 9960  
9965 9970  
9975 9980  
9985 9990  
9995 10000

Commercially available IGBTs can be used to construct  
bidirectional switches which are used e.g. in converters, by  
each IGBT being connected in series with a diode. In this  
case, the forward direction of the diode corresponds to the  
switchable current direction of the IGBT. This circuit  
therefore effects blocking in the reverse direction. However,  
high on-state losses have to be accepted with this. US  
5,608,237 describes a bidirectional semiconductor switch  
comprising IGBTs in which IGBT structures are formed on two  
mutually opposite main sides of a semiconductor body. The  
dimensioning of such proposals for bidirectionally blocking  
switches is in each case chosen in such a way as to produce an  
NPT component (Non Punch Through). A triangular field profile  
builds up in the component under blocking loading. Other  
symmetrically blocking components such as e.g. thyristors or  
GTOs likewise have a non-punch-through dimensioning. That

requires the component to have a large thickness and thus increases the switching and on-state losses in relation to the thinner punch-through dimensioning.

5 ~~It is an object of the present invention to specify a simply designed switch which can block high voltages in both directions. This object is achieved by means of the component having the features of claim 1. Refinements emerge from the dependent claim.~~

10 In the case of the component according to the invention, a conventional structure of a power semiconductor switch, e.g. of an IGBT, is provided with an additional buffer layer on the source side and dimensioned in such a way that, in an  
15 operating state in which the component effects blocking, at least in a range of high electrical voltages which are applied to source and drain, a space charge zone produced in the semiconductor body extends as far as the respective buffer layer in accordance with a punch-through dimensioning. By  
20 virtue of the buffer layers present on both sides, the advantage of punch-through dimensioning (small thickness of the component) is combined with the advantage of non-punch-through dimensioning (possibility of symmetrical blocking capability).

150  
A4  
The component according to the invention is described in more detail below using the example illustrated in cross section in the figure.

150  
A5  
5 A detail from an IGBT structure is illustrated in cross section on the right-hand side of the figure. A first base region 1 is essentially formed by the semiconductor body provided with a basic doping. This basic doping is preferably a doping for weak n-type conductivity. In accordance with an IGBT structure known per se, a second base region 4 of opposite sign and emitter regions 3, 5 are present. The sequence of these regions has conductivities having alternating signs in the vertical direction. In the second base region 4, which is formed in a manner extending as far as the top side of the semiconductor body, a channel is formed on said top side, which channel can be controlled by means of a gate electrode G applied above it and preferably isolated from it by a dielectric. The second base region 4 is preferably formed as a p-conducting doped well in the n<sup>-</sup>-conducting doped semiconductor body. Situated within this well is the region 5 doped oppositely thereto (in this example n-conducting), said region being connected to the source contact S, which also makes contact with the second base region 4. Situated on the rear side of the component is a further doped region 3, which, as emitter region, is doped oppositely to the first base region 1 and is provided with a drain contact D. In accordance

with a punch-through dimensioning known per se, the thickness of the semiconductor body is chosen to be smaller than in IGBTs with non-punch-through dimensioning, and a buffer layer 2 whose conductivity has the same sign as that of the first base region 1 is arranged between the first base region 1 and the region provided with the drain contact (p-type emitter). This buffer layer 2 is preferably doped with a dose of  $1 \cdot 10^{12} \text{ cm}^{-2}$  to  $4 \cdot 10^{12} \text{ cm}^{-2}$  (integral over the doping profile). In the blocking operating state of the component, in contrast to the conventional layer structure with buffer layer, the electric field for the most part falls in the first base region 1. A typical profile of the electric field in the vertical direction of the component is illustrated on the left-hand side of the figure for the case where the drain terminal is positive relative to the source terminal (solid curve in the y-E diagram).

What is essential to the invention is a further buffer layer 6, which is present between the first base region 1 and the second base region 4 and is doped such that its electrical conductivity has the same sign as that of the first base region 1 (basic doping of the semiconductor body). This further buffer layer 6, which is n-conducting in this example, is doped so highly (most preferably with a dose of  $1 \cdot 10^{12} \text{ cm}^{-2}$  to  $4 \cdot 10^{12} \text{ cm}^{-2}$ ) that, in the event of polarity reversal of the voltage between drain and source, a profile of the

electric field in the vertical direction of the component is produced which, in principle, corresponds to the broken curve depicted in the diagram on the left-hand side of the figure.

To an extent, the punch-through case for the opposite

direction is present here, with the result that this component also blocks high voltages in both directions. The blocking operating state is changed over, in a manner known per se, into the operating state open from source to drain, by means of the control of the channel via the gate electrode.

Therefore, according to the invention, a component is present which constitutes a switch in a current direction and blocks the current in the opposite direction up to high voltages.

The basic doping of the semiconductor body is preferably chosen to be somewhat lower than is otherwise customary (e.g., for 1200 V IGBTs, 90  $\Omega\text{cm}$  instead of 60  $\Omega\text{cm}$ ). The thickness and the magnitude of the doping in the first base region 1 and the two buffer layers 2, 6 must be accurately dimensioned; in the case of an excessively high doping and/or thickness of the layers, a premature breakdown takes place on account of the avalanche multiplication of the charge carriers (avalanche effect) and, in the case of an excessively low doping of the buffer layers, a breakdown takes place on account of punch-through of the blocked PNP transistor. In the case of correct dimensioning, which can easily be found using the customary procedures for the respective exemplary embodiment, it is

